

**NIPPLE**

**DRINKING SYSTEM**



[www.tarimar.com.tr](http://www.tarimar.com.tr)

 **tarımar**

# TARIMAR NIPPLE



360° Flow Pin



Stainless Steel



- ▶ Same nipple is used from day old chick to the end of the flock.
- ▶ 360 degree flow pin and 90 ml/min watering capacity TARIMAR nipples are installed on round PVC pipes with saddles with a distance of 25 or 20 cm.
- ▶ It has a clean and ergonomic look with its ultrasonic welded saddle.
- ▶ According to the climate conditions; thin or thick nipple pims can be provided.
- ▶ The nipples have drip-cups.
- ▶ Metal free regulator accessories and end assemblies.
- ▶ It is a suitable and economic solution for all types of poultry.

End Assembly



Regulator



Ultrasonic Welded Saddle



Electrical Shocker



## Manuel Drinking Products



Mini Drinker



Bell Drinker

## Technical Specifications

Mini Drinker	100 Chicks
Bell Drinker	60-75 Broiler




# VAL NIPPLE



TARIMAR is the unique distributor of Val-Co Nipples in Turkey since 1996.

- ▶ Same nipple is used from day old chick to the end of the flock.
- ▶ Dry litter.
- ▶ 360° degree stainless steel flow pin allows more water.
- ▶ All the O-Ring and coupler connections are from the exterior of the piping, which allow more water flow inside the pipes.
- ▶ All the end assemblies, valves and connections are from PVC material. No steel parts working inside the water.
- ▶ The regulators can operate up to 130 meters.
- ▶ With the 75cm stand-by pipe, the regulators can compensate more slope inside the house.
- ▶ There is a by-pass mechanism on the regulators which allows an easy cleaning of the PVC pipes after medication.
- ▶ A central water treatment system can be installed to the water supply with medicator, water meter, anti calcer and water filter.
- ▶ Nipple Mini Drinkers are used for the birds which are weaker from the beginning. Easy to operate and uninstall after usage.


## WATER TREATMENT SET



360° Flow Pin




Stainless Steel





## A wide-angle photograph of a large, modern poultry farming facility. The room is filled with rows of yellow cages, each equipped with a red feeder. The cages are arranged in long, parallel rows, creating a sense of depth. The floor is a light-colored, polished surface. The ceiling is high and white, with numerous bright lights hanging from it. The overall atmosphere is clean and organized.

## Motorwinch



A yellow chain hoist winch is shown against a white background. The winch has a yellow body and a black handle. A silver chain is attached to the bottom and loops around. A label on the front of the winch reads "MS-C TYPE CHAIN HOIST", "1 ton HPC300 H-1302", and "Parimar". A yellow hook is attached to the top of the winch.



**Wall Type Winch (600 Kg.)**



**Celling Type Winch (1.200 Kg.)**

A red ceiling type winch with a gear mechanism and a metal hook. The winch is mounted on a red base and has a metal hook attached to it. The gear mechanism consists of a large red gear and a smaller metal gear. The winch is shown in a 3D perspective view.